

**AMENDMENTS TO THE CLAIMS:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*

1. (Currently amended) Loose-fill insulation mixture comprising:  
a mixture comprising fiberglass and cellulose, where the mixture consists essentially of  
~~comprises~~ from about 15-60% cellulose and from about 40-85% fiberglass; and  
wherein the loose-fill insulation has an R-value/inch of at least about 2.4 when blown dry  
into and/or onto an area including a flat supporting surface.
2. (Original) The loose-fill insulation of claim 1, wherein the mixture comprises from  
about 20-50% cellulose.
3. (Original) The loose-fill insulation of claim 1, wherein the mixture comprises from  
about 25-45% cellulose.
4. (Original) The loose-fill insulation of claim 1, wherein the mixture has an R-value/inch  
of at least about 2.5.
5. (Original) The loose-fill insulation of claim 1, wherein the mixture has an R-value/inch  
of at least about 2.6.
6. (Original) The loose-fill insulation of claim 1, wherein the mixture has an R-value/inch  
of at least about 2.7.

7. (Original) The loose-fill insulation of claim 1, wherein the mixture has an initial density of from 0.55 to 1.25 lbs./ft<sup>3</sup>.

8. (Original) The loose-fill insulation of claim 1, wherein the mixture has an initial density of from 0.6 to 0.8 lbs./ft<sup>3</sup>.

9. (Original) The loose-fill insulation of claim 1, wherein the provision of the cellulose in the mixture increases the R-value/inch of the mixture by at least 5% for a given density of the mixture, compared to 100% loose-fill fiberglass insulation.

10-28. (Canceled)

29. (Currently amended) A method of installing a loose-fill insulation mixture, the method comprising: providing an insulation mixture consisting essentially of ~~comprising~~ fiberglass and cellulose, where the mixture consists essentially of ~~comprises~~ from about 15-60% cellulose and from about 40-85% fiberglass; and

blowing and/or spraying the loose-fill mixture comprising fiberglass and cellulose into an attic or vertical wall cavity.